KASSER II



Multirole MRAP Armoured Combat Vehicle





KASSER II



GENERAL

- Crew Driver, Commander, Gunner plus 6 Soldiers
- Gross Vehicle Mass 17,260 kg
- Tare 14,760 kg (unladen)
- Payload 2,500 kg





DIMENSIONS

- Length 6,740 mm
- Width 2,500 mm
- Height 2,760 mm
- Ground Clearance 560 mm
- Wheel Base 3,920 mm



Width - 2,500 mm



Length 6,740 mm

KEY CHARACTERISTICS

- Engine Cummins 8.9 ISL / Euro III
- Power 298 Kw (400 Hp) @ 2,200 rpm
- Torque 1,627 Nm @ 1,500 rpm
- Power / Weight 23
- Max Speed 110 km/h
- Road Range 550 km @ 80 km/h
- Transmission Allison 3200 SP
- Axles Axle Tech Independent Axles
- Tyres Michelin 14.00 R20 with RFIs
- Suspension Coil with Shock Absorbers
- Turning circle 19.2 m Kerb to Kerb







70%



500 mm Step Climb



850mm Trench



40° & 36° Departure Approach

800 mm Fording

4 INDUSTRIES



Integrated defense solutions demand leadership, technical consultation and performance engineering. M4 Industries delivers customer driven solutions based on a unique combination of operational, technical and strategic expertise, coupled with access to very specific end user requirements, allowing M4 Industries to deliver performance reliability and technology integration that make a real difference in extreme and demanding operating conditions.

KASSER II is fully manufactured by M4 Industries

PROTECTION:

Ballistic - B7+ Landmine - Stanag Level 4B









OPTIONAL EQUIPMENT



RAAD | 14.5mm RWS



FeWas 120 (12.7mm) RWS



RAAD || 30mm RWS



FeWas 30mm Dual RWS

KASSER II



Multirole MRAP Armoured Combat Vehicle



STANDARD EQUIPMENT

- Central Tyre Inflation System
- Remote Weapon Station Interface
- II x Gun Ports Side and rear window
- I x Under Armour Loading Hatch
- 3 x Roof Hatches
- 6 x Antenna Mountings
- Doors 2 x front; I x rear
- Air-Conditioner 51 000 BTU (2 x 25 000 BTU)
- Integrated Fire Suppression System Engine, Cabin & Wheels
- · Storage Space I Bin each side, Gypsy Racks, Fender Bins
- Interior Cabin Lights
- Rear View Camera
- Draw Bar and Towing Interfaces
- Jack and Base Plate, Wheel spanners
- Tyre inflator with hose and tool kit
- Turret Side Protection Plates
- Siren and Strobe Lights
- 20 0001b (9 Ton) Winch with Snatch Block
- 12V / 24V Power Socket plus USB Charging Points
- 2 X Auxiliary Batteries
- 4 x Jerry Can
- 220V Power Point







